

L Number	Hits	Search Text	DB	Time stamp
-	3	6560757.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:46
-	192	703/14 and vhdl and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:56
-	13	703/14 and pins same vhdl and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:57
-	0	703/14 and bi adj direction near pin and vhdl and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:58
-	3	703/14 and bi adj direction\$ near pin and vhdl and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:59
-	7	703/14 and bi adj direction\$ near pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:59
-	5	703/14 and bi adj direction\$ adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:59
-	9	703/14 and direction\$ adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:59
-	16	703/14 and \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:00
-	12	703/14 and (input and output) with \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:28

-	14	703/14 and (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:08
-	2	(703/14 and (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)) not (703/14 and (input and output) with \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:08
-	12	(716/4 716/5) and (input and output) with \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:09
-	19	(716/4 716/5) and (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:12
-	0	(703/3 703/4) and (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:12
-	16	(703/13 703/14) and (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:14
-	34	703/\$ and (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:15
-	51	716/\$ and (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:15
-	63	(703/\$ 716/\$) and (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:15
-	43	(703/\$ 716/\$) and (input and output) with \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:17
-	3	(703/\$ 716/\$) and drive same (input and output) with \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:18

-	5	(703/\$ 716/\$) and drive\$ same (input and output) with \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:22
-	3	(703/\$ 716/\$) and drive\$ with (input and output) with \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:19
-	17	(703/\$ 716/\$) and drive\$ same (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:30
-	24	drive\$ with (input and output) with \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:40
-	21	drive\$ with (input and output) with \$3direction\$3 adj pin and (@ad<19991029 @rlad<19991029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:41
-	40	drive\$ same (input and output) with \$3direction\$3 adj pin and (@ad<19991029 @rlad<19991029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:45
-	1	(distinguish\$ determin\$) near2 (input and output) same pin same model same hardware and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:03
-	0	(distinguish\$ determin\$) near2 (input and output) same pin same model same hardware and (@ad<19991029 @rlad<19991029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:05
-	5	(distinguish\$ determin\$) with (input and output) same pin same model same hardware and (@ad<19991029 @rlad<19991029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:04
-	1	(distinguish\$ determin\$) near2 (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:05
-	1	(distinguish\$ determin\$) near2 direction same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:08

-	2	(distinguish\$ determin\$) near2 \$3direction\$3 same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:11
-	2	(distinguish\$ determin\$) with direction same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:11
-	3	(distinguish\$ determin\$) with \$3direction\$3 same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:23
-	3	(distinguish\$4 determin\$5 verif\$6 test\$3 compar\$4) with \$3direction\$3 same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:17
-	50	reduc\$4 near drive\$2 near strength	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:18
-	13	reduc\$4 near drive\$2 near strength and pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:18
-	13	(weak\$2 reduc\$4) near drive\$2 near strength and pin and input and output and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:19
-	4	(weak\$2 reduc\$4) near drive\$2 near strength and \$3direction\$2 and pin and input and output and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:21
-	22	(weak\$2 reduc\$4) with drive\$2 with strength and \$3direction\$2 with (pin and input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:22
-	4	(weak\$2 reduc\$4) near2 drive\$2 near2 strength and \$3direction\$2 with (pin and input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:23
-	6	(weak\$2 reduc\$4) near2 drive\$2 near2 strength and (distinguish\$4 determin\$5 verif\$6 test\$3 compar\$4) same \$3direction\$2 with (pin input output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:24

-	4	(weak\$2 reduc\$4) near2 drive\$2 near2 strength and (distinguish\$4 determin\$5 verif\$6 test\$3 compar\$4) with \$3direction\$2 with (pin input output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:25
-	0	verif\$6 with (input and output and \$3direction\$3 adj pin) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:29
-	0	verif\$6 with (input and output) same \$3direction\$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:32
-	4	verif\$6 same (input and output and \$3direction\$3 adj pin) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:30
-	0	verif\$6 with \$3direction\$3 adj pin same (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:32
-	3	verif\$6 same \$3direction\$3 adj pin same (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:33
-	43	test\$3 with \$3direction\$3 adj pin same (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:34
-	31	test\$3 with \$3direction\$3 adj pin with (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:36
-	2	model same simulat\$3 and test\$3 with \$3direction\$3 adj pin with (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:37
-	5	(model simulat\$3 design) same test\$3 with \$3direction\$3 adj pin with (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:38